


Triple Applicator Arch

Model
AA1X3



Triple Applicator Arch, Model AA1X3



Parts List

PART NUMBER	QTY	DESCRIPTION
AA1X3A	2	Square Leg 108" L
AA1X3B	1	Top Crossbar Assembly 10' W
HS013	8	1/2" - 13 x 1.25" UNC Hex Screw
AA1X3C	2	Triple Welded Manifold 60" L
AA1X3D	1	Triple Welded Manifold 96" L
HN1420	12	Hex Nut - 1/4"-20 UNC
SLW14	12	1/4" Split Lock Washer
FW14	12	1/4" Flat Washer
HHCS1420050	12	1/4" - 20 x 0.5" UNC Hex Screw
NZ14-03E80	44	Nozzle 1/4" HYPRO 03E80
EL45304025	4	45° Deg Elbow - 1/4" NPT
V-DC14X14-25LB	8	1/4" NPT Check Valve - 25 PSI
NPL304025300	4	Nipple - 1/4" NPT x 3" L SS
NPL3040251200	4	1/4" x 12" NPT - TBE Nipple
FC304025	4	1/4" NPT - Full Coupling SS
EL90S304025	8	1/4" NPT 90° Street Elbow
SAE140109P-8	18	Hex Plug 1/2" NPT



Triple Applicator Arch, Model AA1X3

