

A.V.W. EQUIPMENT


***PIVOTING
OSCILLATING HIGH
PRESSURE ARCH***

Model OT-P01




PIVOTING OSCILLATING HIGH PRESSURE ARCH, MODEL OT-PO1

The AVW Stainless Steel Pivoting Oscillating High Pressure Octaline Arch produces an even spray of up to 1000 Psi over the entire vehicle. Pivoting Top blasts the front, top and rear of vehicles, while the pivoting Side blasters cover both sides, tires and rockers areas.




PIVOTING OSCILLATING HIGH PRESSURE ARCH, MODEL OT-PO1

SPACE REQUIREMENTS:



PIVOTING OSCILLATING HIGH PRESSURE ARCH, MODEL OT-PO1



PIVOTING OSCILLATING HIGH PRESSURE ARCH, MODEL OT-PO1

ITEM	Description	PART No.	QTY
1	OCTALINE EMPTY ARCH -2-1/2"	OT-AA0	1
-	Screw Fastener Sets 1/2"-13x1.1/2 LG	-	1
-	Hex Head Cap Screw 1/2"-13x1-1/2" LG	HHCS12131050	8
-	Flat Washer 1/2" I.D.x1-1/4" O.D.	FW12125	16
-	Split Lock Washer	SLW12	8
-	Hex Nut 1/2"-13	HN1213	8
2	PIVOTING OSCILLATING TOP MANIFOLD	OT-PO1B	
-	3" ROUND U BOLTS 1/2" SIZE and	UB-R050x300x1100	
-	FLAT WASHERS 1/2" and	FW12	
-	HEX NUTS 1/2"	HN1220	
2.1	PIVOTING BAR ASSEMBLY	R-PO1CH	
2.2	PIVOT BAR	RT1AAC	
2.3	UHMW PIVOT BLOCK	PO1C2	
2.4	UHMW SINGLE SPLIT COLLAR 1" I.D.	MC1DDA	
-	NYLON LOCK NUT	NLN1213	
-	BOLT	HHCS1420150	
2.5	PIVOTING MOUNTING PLATE ASSEMBLY	PO1C	
2.55	HOLDING BRACKET w/CYLINDER	OT-PO1CDBA	
2.6	PLATE for HOLDING BRACKET w/CYLINDER	OT-PO1CDBAA	
2.7	HOLDING BRACKET w/o CYLINDER	OT-PO1CDBB	
2.8	CAM ARM	PO1-CAM2	
2.9	OSCILLATING ARM ASSEMBLY	PO1CBB-38	
2.91	BALL JOINT ROD END 1/2-20	BJ1-2-20	
2.92	ROD THREADED END 1/2"x38"Lg	PO1CBB1-38	
-	HEX NUT 1/2"	HN1213	
-	SHOULDER BOLT 1/2"	SB1ADB1	
-	w/FLAT WASHER	FW38	
-	NYLON LOCK NUT	NLN1213	
3	DRIVE ASSEMBLY SIDE MANIFOLD	-	
3.1	MOTOR MOUNT	RT1AAC	
-	w/HEX NUTS 1/4"	HN1420	
3.2	OSCILLATING ARM ASSEMBLY	PO1CBB-10	
3.3	-THREADED ROD 1/2"x17"Lg	-	
-	-HEX NUT 1/2"	HN1213	
-	-SHOULDER BOLT 1/2"	SB1ADB1	
-	-w/FLAT WASHER	FW38	
-	-NYLON LOCK NUT	NLN3813	
-	UHMW-BLOCK SET	PO1C1	
4	AIR CYLINDER (2x3)	AC2X3	
-	Jam Nut 1/2"	JN1220	
-	Shoulder Bolt 1/2"	SB1ADB1	
-	Hex Nut 1/2"	HN12	
-	Set Screw Collar		
4.1	Pin		
5	HYDRAULIC MOTOR	SB2ABDA	
5.1	Oscillating Disk	PO1CBB-10	3
6	MANIFOLD ASSEMBLY	PO1DM	1
6.1	WATER MANIFOLD	PO1DMA	1
6.2	90° STREET ELBOW 1/4"x1/4")	EL90-S-304025	8
6.3	NOZZLE 1/4" MEG 0504	1-4-MEG-0504	8
6.4	ELBOW- 1/2JICx1/2NPT	EL90000JIC050x050MT	1
6.5	PLUG 1/2", (1/PER MANIFOLD)	PLUGPP050	1
7	PIVOTING OSCILLATOR SIDE MANIFOLD[DRIVER/PASSENGER]	OT-PO1D/OT-PO1E	
7.1	SIDE MANIFOLD -FRAME	-	
-	w/3" ROUND U BOLTS 1/2" SIZE	UB-R050x300x1100	
-	-FLAT WASHERS 1/2" and	FW12	
-	-HEX NUTS 1/2"	HN1220	
7.2	MOUNTING BRACKET SIDE MANIFOLD	OT-PO1DBA	
7.3	EXTENSION ARMS 2"x2"x20"LG	OT-PO1DD-20	

